

## Labels & Tags

### Duratherm® II Labels: Permanent adhesive. (formerly known as Thermal Eco)

A non top-coated direct thermal paper that offers high quality, cost-effective printing.

This material is recommended for most general-use indoor applications where exposure to chemical and moisture is n

Part number	Availability	Perforation	Quality	Width (mm)	Length (mm)	Labels per roll	Diam. core / roll
i29671	MTO	N	Duratherm® II Paper <b>Yellow</b>	38,1	25,4	1820	40/110
I20043	QS	Y	Duratherm® II Paper	50,8	25,4	1760	40/110
E24612	QS	Y	Duratherm® II Paper	50,8	101,6	125	19/57
I27113	QS	Y	Duratherm® II Paper	76,2	127	140	19/62
I20092	QS	Y	Duratherm® II Paper	101,6	50,8	930	40/110
I27144	QS	Y	Duratherm® II Paper	101,6	50,8	335	19/62
I23623	QS	Y	Duratherm® II Paper	101,6	76,2	1920	76/190
I22687	QS	Y	Duratherm® II Paper	101,6	127	1170	76/190
I20103	QS	Y	Duratherm® II Paper	101,6	152,4	320	40/110
I23671	QS	Y	Duratherm® II Paper	101,6	152,4	980	76/190
I27116	QS	Y	Duratherm® II Paper	101,6	152,4	115	19/62
I24496	QS	Y	Duratherm® II Paper	104	55	700	40/96
I23078	QS	Y	Duratherm® II Paper	110	162	920	76/190
I24158	QS	Y	Duratherm® II Paper	148	210	720	76/190

### Duratherm® III Labels: Permanent adhesive. (formerly known as Thermal Top)

A top-coated direct thermal paper that provides enhanced durability for applications where humidity and surface abras

Part number	Availability	Perforation	Quality	Width (mm)	Length (mm)	Labels per roll	Diam. core / roll
I24490	QS	Y	Duratherm® III Paper	43	24,79	1500	40/96
I20048	QS	Y	Duratherm® III Paper	50,8	25,4	1760	40/110
E24615	QS	Y	Duratherm® III Paper	50,8	101,6	126	19/57
I24139	QS	Y	Duratherm® III Paper	61	101,6	1450	76/190
E24627	QS	Y	Duratherm® III Paper	76,2	127	100	19/57
I23010	QS	Y	Duratherm® III Paper	80	127	1170	76/190
I20094	QS	Y	Duratherm® III Paper	101,6	50,8	930	40/110

I20066	QS	Y	Duratherm® III Paper	101,6	152,4	980	76/190
I20104	QS	Y	Duratherm® III Paper	101,6	152,4	320	40/110
I23690	QS	Y	Duratherm® III Paper	101,6	165,1	900	76/190
I24411	QS	Y	Duratherm® III Paper	104	55	1750	40/150
I24498	QS	Y	Duratherm® III Paper	104	55	700	40/96
I24413	QS	Y	Duratherm® III Paper	104	74	1310	40/150
I24500	QS	Y	Duratherm® III Paper	104	74	500	40/96
I24502	QS	Y	Duratherm® III Paper	104	103,6	350	40/96
I24503	QS	Y	Duratherm® III Paper	104	130	300	40/96
I23802	QS	Y	Duratherm® III Paper	148	210	720	76/190

**Duratherm® III Synthetic Labels: Permanent adhesive.**

Duratherm III Synthetic is a top-coated direct thermal film label that provides enhanced durability for applications where moisture and surface abrasion are a concern.

Part number	Availability	Perforation	Quality	Width (mm)	Length (mm)	Labels per roll	Diam. core / roll
E25764	MTO	Y	Duratherm® III Synthetic	50,8	25,4	506	19/57

**Duratherm® III Linerless: Permanent adhesive.**

Duratherm III Linerless is a self-wound adhesive label that provides excellent print quality and durability without the need for a liner. By removing the liner, the roll capacity increases and there's no need to dispose

Part number	Availability	Perforation	Quality	Width (mm)	Length (mm)	Labels per roll	Diam. core / roll
E25760	MTO	N	Duratherm® III Linerless	57,15	21844	1	19/57
E25761	MTO	Y	Duratherm® III Linerless	82,55	32004	1	19/67

**Duratron I Labels: Permanent adhesive.** (formerly known as TTR uncoated)

A thermal transfer paper label that provides an economical solution to most general-purpose labeling applications. Duratron I offers high-quality printing when paired with the co-eng TMX1310 or TMX2010 ribbons.

Part number	Availability	Perforation	Quality	Width (mm)	Length (mm)	Labels per roll	Diam. core / roll
i29672	MTO	N	Duratron I Paper <b>Yellow</b>	38,1	25,4	1820	40/110
l24422	QS	Y	Duratron I Paper	43	24,79	3700	40/150
l20035	QS	Y	Duratron I Paper	50,8	25,4	1760	40/110
i29673	MTO	N	Duratron I Paper	76,2	25,4	1820	40/110
i26261	MTO	N	Duratron I Paper	101	34	1010	40/96
l20075	QS	Y	Duratron I Paper	101,6	50,8	930	40/110
l20109	QS	Y	Duratron I Paper	101,6	101,6	480	40/110
l24415	QS	Y	Duratron I Paper	101,6	152,4	320	40/110
l22382	QS	Y	Duratron I Paper	101,6	152,4	980	76/190
l24424	QS	Y	Duratron I Paper	101,6	152,4	650	40/150
i23600	MTO	Y	Duratron I Paper	101,6	165,1	300	40/110
l24412	QS	Y	Duratron I Paper	104	55	1750	40/150
l24415	QS	Y	Duratron I Paper	104	74	1310	40/150
l24507	QS	Y	Duratron I Paper	104	74	500	40/96
l24508	QS	Y	Duratron I Paper	104	150	250	40/96
l23401	QS	Y	Duratron I Paper	148	210	720	76/190

**Duratron IIE Labels: Permanent adhesive.** (formerly known as TTR coated)

A coated, thermal transfer paper label that is recommended when moderate abrasion, heat, or sunlight is present. It exhibits excellent print quality when paired with the TMX1310 or TMX2010 ribbons.

Part number	Availability	Perforation	Quality	Width (mm)	Length (mm)	Labels per roll	Diam. core / roll
-------------	--------------	-------------	---------	------------	-------------	-----------------	-------------------

I20037	QS	Y	Duratran IIE Paper	50,8	25,4	1760	40/110
I23107	QS	Y	TT 60 Paper	50,8	25,4	5330	76/190
I20342	QS	N	Duratran IIE Paper	50,8	76,2	1920	76/190
i21774	MTO	N	Duratran IIE Paper	50,8	101,6	1450	76/190
I22045	QS	Y	Duratran IIE Paper	61	101,6	1450	76/190
I20859	QS	N	Duratran IIE Paper	63,5	25,4	5330	76/190
I24504	QS	Y	Duratran IIE Paper	70	48	750	40/96
i27108	MTO	N	Duratran IIE Paper	76,2	25,4	1820	40/110
I20869	QS	N	Duratran IIE Paper	76,2	25,4	5330	76/190
i25688	MTO	Y	Duratran IIE Paper	76,2	50,8	2835	76/190
I21346	QS	Y	Duratran IIE Paper	80	127	1170	76/190
I24505	QS	Y	Duratran IIE Paper	90	28,75	1300	40/96
I20085	QS	Y	Duratran IIE Paper	101,6	50,8	930	40/110
I22898	QS	Y	Duratran IIE Paper	101,6	50,8	2825	76/190
I24149	QS	Y	Duratran IIE Paper	101,6	76,2	1920	76/190
I20064	QS	Y	Duratran IIE Paper	101,6	152,4	980	76/190
I20100	QS	Y	Duratran IIE Paper	101,6	152,4	320	40/110
I22803	QS	Y	Duratran IIE Paper	101,6	165,1	900	76/190
I22605	QS	Y	Duratran IIE Paper	148	210	720	76/190
I20696	QS	Y	Duratran II Paper	148	210	715	76/190

**Duratran SE Polypropylene Labels: Permanent adhesive.** (formerly known as TTR Top Gloss White PP)

A 2.3 mil thick polypropylene thermal transfer label . The gloss topcoated face stock offers excellent print quality and n up to 6 months outdoor exposure. Advised ribbons; TMX2010 or TMX3710

Part number	Availability	Perforation	Quality	Width (mm)	Length (mm)	Labels per roll	Diam. core / roll
i29668	MTO	N	Duratran SE Gloss PP	101,6	63,5	780	40/110
i29669	MTO	N	Duratran SE Gloss PP	101,6	152,4	330	40/110
i29670	MTO	N	Duratran SE Gloss PP	76,2	25,4	1820	40/110

**Duratran II Gloss Polyester Labels: Permanent adhesive.** (formerly known as high gloss polyester)

A high-gloss, top-coated polyester label with exceptional print quality. Excellent tear, smear and abrasion resistance; l printed with TMX3710 ribbons.

Part number	Availability	Perforation	Quality	Width (mm)	Length (mm)	Labels per roll	Diam. core / roll
i27070	MTO	Y	Duratran II Gloss Polyester	50,8	25,4	1760	40/110
I21742	QS	N	Duratran II Gloss Polyester	50,8	25,4	5330	76/190
i28940	MTO	N	Duratran II Gloss Polyester	76	25	1850	40/110

i22972	MTO	Y	Duratran II Gloss Polyester	76,2	25,4	5330	76/190
i26770	MTO	N	Duratran II Gloss Polyester	101,6	50,8	690	40/96
i29190	MTO	Y	Duratran II Gloss Polyester	101,6	50,8	2840	76/190

**PATIENT ID WRISTBAND: Inband**

Intermec's INband provides the positive identification hospitals need for maximum patient safety. With excellent print quality, it can be imaged with easy, intuitive scanning. The durable topcoating ensures high resistance to soaps, hand sanitizers, and other conditions typically encountered in the hospital environment. The flexible, lightweight band is easy to apply, minimizing the risk of patient injury. A robust tamper-evident closure ensures the integrity of the patient identification system.

Part number	Availability	Perforation	Quality	Width (mm)	Length (mm)	Labels per roll	Diam. core / roll
INBND26275	QS	Y	Adult	28,58	292,1	250	40/110
INBND26568	QS	Y	Adult/Pediatric	25,4	279,4	250	40/110
INBND27556	QS	Y	Infant (new layout)	25,4	206,38	200	40/110
INBND27864-W	QS	Y	IN Band II White	25,4	279,4	150	40/125
INBND27864-R	MTO	Y	IN Band II Red	25,4	279,4	150	40/125
INBND27864-B	MTO	Y	IN Band II Blue	25,4	279,4	150	40/125
INBND27864-G	MTO	Y	IN Band II Green	25,4	279,4	150	40/125
INBND27864-Y	MTO	Y	IN Band II Yellow	25,4	279,4	150	40/125
INBND27864-PK	MTO	Y	IN Band II Pink	25,4	279,4	150	40/125
INBND27864-PU	MTO	Y	IN Band II Purple	25,4	279,4	150	40/125
ILR00257	MTO	Y	HF RFID wristband	30,23	292,1	125	40/125

**Duratran IIE Tags: No adhesive.** (formerly known as TTR premium board)

A coated, thermal transfer board that is recommended when moderate abrasion, heat, or sunlight is present. It exhibits excellent print quality when paired with the TMX2010 & TMX1310 ribbons

Part number	Availability	Perforation	Quality	Width (mm)	Length (mm)	Labels per roll	Diam. core / roll
I20682	QS	Y	Duratran IIE 200grs	101,6	152,4	970	76/190
I23136	QS	Y	Duratran IIE 200grs	148	209,55	585	76/190

**Duratherm II Receipt: No adhesive.**

A non top-coated direct thermal paper that offers high quality, cost-effective printing. Continues material designed for our mobile printers.

Part number	Availability	Perforation	Quality	Width (mm)	Length (mm)	Labels per roll	Diam. core / roll
E24631	QS	N	Duratherm II Receipt	82,55	48768	1	19/66
E24788	QS	N	Duratherm II Receipt	57,15	15545	1	10/38
E26482	QS	N	Duratherm II Receipt	57,15	18593	1	10/41
E24619	QS	N	Duratherm II Receipt	57,15	33020	1	19/57
E24789	QS	N	Duratherm II Receipt	79,38	12500	1	10/38
E26480	QS	N	Duratherm II Receipt	80	18593	1	10/41
E22977-32	QS	N	Duratherm II Receipt	111,13	43180	1	19/66

**Duratherm III Receipt: No adhesive.**

A top-coated direct thermal paper that provides enhanced durability. Continues material designed for our mobile printers.

Part number	Availability	Perforation	Quality	Width (mm)	Length (mm)	Labels per roll	Diam. core / roll
E22036-32	QS	N	Duratherm III Receipt	111,13	30480	1	19/66
E24620	QS	N	Duratherm III Receipt	57,15	24384	1	19/57
E26458	QS	N	Duratherm III Receipt	57,15	13106	1	10/41
E26516	QS	N	Duratherm III Receipt	80	13106	1	10/41
E24632	QS	N	Duratherm III Receipt	82,55	24384	1	19/57

**Duratherm II 5-mil Tag: No adhesive.**

A non top-coated direct thermal paper that offers high quality, cost-effective printing.

This material is recommended for most general-use applications where exposure to chemicals and moisture is not anti

Part number	Availability	Perforation	Quality	Width (mm)	Length (mm)	Labels per roll	Diam. core / roll
E24614	QS	Y	Duratherm II 5-mil Tag	50,8	101,6	125	19/57











x	preferred configuration
o	optional configuration, works in printer, but roll capacity isn't fully used.

ot anticipated

### Fixed Printers

Rolls per box	Pricing unit per roll (RL) or carton (CT)	List Price Euro	Disc.	(P)C4	301/E4	3240	3400/3440	3600	4420 / 4440 / 4400	501 / PM4 / PD4 / PX4	PD43 (Dome door)	PD43 (Flat door)	PM43	PM43C	601 / PX6	742x / 7422 / 91	PF8t + PF8d	PC43t & PC43d	PC42t 1 inch ribbon	PC42t 1/2 inch ribbon	PC23d
30	RL	5,13	L	x	o					o	o	o	o	o			x	x	x	x	x
24	RL	5,31	L	x	o					o	o	o	o	o			x	x	x	x	x
32	CT	190,51	L																		
16	RL	6,39	L																		
12	RL	9,03	L	x	o					o	o	o	o	o	o		x	x	x	x	
16	RL	5,15	L																		
8	RL	22,73	L				x	x	x	x	x		x		x						
8	RL	22,32	L				x	x	x	x	x		x		x						
12	RL	8,95	L	x	o					o	o	o	o	o	o		x	x	x	x	
8	RL	22,76	L				x	x	x	x	x		x		x						
16	RL	5,11	L																		
12	RL	8,53	L	o						o	o	o	o	o	o	x	o	o	o	o	
4	RL	24,07	L				x	x	x	x	x		x		x						
4	RL	32,92	L					x							x						

ion are a concern.

### Fixed Printers

Rolls per box	Pricing unit per roll (RL) or carton (CT)	List Price Euro	Disc.	(P)C4	301/E4	3240	3400/3440	3600	4420 / 4440 / 4400	501 / PM4 / PD4 / PX4	PD43 (Dome door)	PD43 (Flat door)	PM43	PM43C	601 / PX6	7421 / 7422 / 91	PF8t + PF8d	PC43t & PC43d	PC42t 1 inch ribbon	PC42t 1/2 inch ribbon	PC23d
18	RL	5,47	L	o	o					o	o	o	o	o		x	o	o	o	o	o
24	RL	6,40	L	x	o					o	o	o	o	o			x	x	x	x	x
32	RL	5,68	L																		
8	RL	18,28	L			x	x		x	x	x		x								
48	RL	8,52	L																		
8	RL	23,71	L				x	x	x	x	x		x		x						
12	RL	11,10	L	x	o					o	o	o	o	o	o		x	x	x	x	

8	RL	29,48	L				x	x	x	x	x		x		x						
12	RL	11,00	L	x	o					o	o	o	o	o			x	x	x	x	
8	RL	29,30	L				x	x	x	x	x		x		x						
6	RL	25,38	L		x					o	o	x	o	x	o						
12	RL	10,28	L	o	o					o	o	o	o	o	o	x	o	o	o	o	
6	RL	23,39	L		x					o	o	x	o	x	o						
12	RL	9,79	L	o	o					o	o	o	o	o	o	x	o	o	o	o	
12	RL	8,77	L	o	o					o	o	o	o	o	o	x	o	o	o	o	
12	RL	9,43	L	o	o					o	o	o	o	o	o	x	o	o	o	o	
4	RL	43,00	L					x							x						

### Fixed Printers

Rolls per box	Pricing unit per roll (RL) or carton (CT)	List Price Euro	Disc.	(P)C4	301/E4	3240	3400/3440	3600	4420 / 4440 / 4400	501 / PM4 / PD4 / PX4	PD43 (Dome door)	PD43 (Flat door)	PM43	PM43C	601 / PX6	7421 / 7422 / 91	PF8t + PF8d	PC43t & PC43d	PC42t 1 inch ribbon	PC42t 1/2 inch ribbon	PC23d	
32	CT	113,09	L																			

### Fixed Printers

of the liner



24	RL	5,35	L	x	o					o	o	o	o	o			x	x	x	x
8	RL	19,09	L			x	x		x	x	x		x							
8	RL	14,68	L			x	x		x	x	x		x							
8	RL	14,43	L			x	x		x	x	x		x							
8	RL	14,42	L			x	x		x	x	x		x							
8	RL	17,01	L			x	x		x	x	x		x							
12	RL	5,85	L	o	o					o	o	o	o	o		x	o	o	o	o
12	RL	8,90	L	x	o					o	o	o	o	o	o		x	x	x	x
8	RL	17,92	L				x	x	x	x	x		x		x					
8	RL	20,10	L				x	x	x	x	x		x		x					
8	RL	19,06	L				x	x	x	x	x		x		x					
12	RL	8,20	L	o	o					o	o	o	o	o	o	x	o	o	o	o
12	RL	9,09	L	x	o					o	o	o	o	o	o		x	x	x	x
8	RL	23,22	L				x	x	x	x	x		x		x					
8	RL	23,19	L				x	x	x	x	x		x		x					
8	RL	23,22	L		o		x	x	x	x	x		x		x					
12	RL	9,03	L	x	o					o	o	o	o	o	o		x	x	x	x
8	RL	23,19	L				x	x	x	x	x		x		x					
4	RL	34,55	L					x							x					
4	RL	36,16	L					x							x					

noisture resistance; recommended for

### Fixed Printers

Rolls per box	Pricing unit per roll (RL) or carton (CT)	List Price Euro	Disc.	(P)C4	301/ E4	3240	3400/3440	3600	4420 / 4440 / 4400	501 / PM4 / PD4 / PX4	PD43 (Dome door)	PD43 (Flat door)	PM43	PM43C	601 / PX6	7421 / 7422 / 91	PF8t	PC43t	PC42t 1 inch ribbon	PC42t 1/2 inch ribbon	PC23d
12	RL	13,28	L	x	o					o	o	o	o	o	o		x	x	x	x	
12	RL	13,60	L	x	o					o	o	o	o	o	o		x	x	x	x	
12	RL	11,05	L	x	o					o	o	o	o	o	o		x	x	x	x	

highly moisture and heat resistant when

### Fixed Printers

Rolls per box	Pricing unit per roll (RL) or carton (CT)	List Price Euro	Disc.	(P)C4	301/ E4	3240	3400/3440	3600	4420 / 4440 / 4400	501 / PM4 / PD4 / PX4	PD43 (Dome door)	PD43 (Flat door)	PM43	PM43C	601 / PX6	7421 / 7422 / 91	PF8t	PC43t	PC42t 1 inch ribbon	PC42t 1/2 inch ribbon	PC23d
24	RL	17,58	L	x	o					o	o	o	o	o	o		x	x	x	x	
8	RL	48,06	L			x	x		x	x	x		x								
12	RL	25,00	L	x	o					o	o	o	o	o	o		x	x	x	x	

8	RL	59,65	L					x		x	x	x		x		x				
12	RL	21,93	L	o	o					o	o	o	o	o	o	x	o	o	o	o
8	RL	80,25	L					x		x	x	x		x		x				

contrast, standard or 2D bar codes can  
 moisture, and other environmental  
 curl experienced with other products.

### Fixed Printers

Rolls per box	Pricing unit per roll (RL) or carton (CT)	List Price Euro	Disc.	(P)C4	301/ E4	3240	3400/3440	3600	4420 / 4440 / 4400	501 / PM4 / PD4 / PX4	PD43 (Dome door)	PD43 (Flat door)	PM43	PM43C	601 / PX6	7421 / 7422 / 91	PF8t + PF8d	PC43t & PC43d	PC42t 1 inch ribbon	PC42t 1/2 inch ribbon	PC23d
2	CT	110,00	L	x							o	o					x	x	x	x	x
2	CT	110,00	L	x							o	o					x	x	x	x	x
2	CT	45,00	L	x							o	o					x	x	x	x	x
4	CT	70,00	L	x							o	o					x	x	x	x	x
4	CT	75,00	L	x							o	o					x	x	x	x	x
4	CT	75,00	L	x							o	o					x	x	x	x	x
4	CT	75,00	L	x							o	o					x	x	x	x	x
4	CT	75,00	L	x							o	o					x	x	x	x	x
4	CT	75,00	L	x							o	o					x	x	x	x	x
4	CT	1 059,00	L																		x

### Fixed Printers

Rolls per box	Pricing unit per roll (RL) or carton (CT)	List Price Euro	Disc.	(P)C4	301/ E4	3240	3400/3440	3600	4420 / 4440 / 4400	501 / PM4 / PD4 / PX4	PD43 (Dome door)	PD43 (Flat door)	PM43	PM43C	601 / PX6	7421 / 7422 / 91	PF8t	PC43d	PC42t 1 inch ribbon	PC42t 1/2 inch ribbon	PC23d
4	RL	24,78	L				x	x	x	x			x								
4	RL	37,20	L					x							x						

### Fixed Printers

















PM23C / (P)F2 long
(P)F4 long door
(P)F4 short door
PM23 / (P)F2 short
PB2
PB3
PR2
PR3
PB21
PB31
PB51 / PW50
PB22
PB32
PB42
PB50

### Mobile Printers

PM23C / (P)F2 long
(P)F4 long door
(P)F4 short door
PM23 / (P)F2 short
PB2
PB3
PR2
PR3
PB21
PB31
PB51 / PW50
PB22
PB32
PB42
PB50

### Mobile Printers

PM23C / (P)F2 long
(P)F4 long door
(P)F4 short door
PM23 / (P)F2 short
PB2
PB3
PR2
PR3
PB21
PB31
PB51 / PW50
PB22
PB32
PB42
PB50







PM23C / (P)F2 long								
(P)F4 long door								
(P)F4 short door								
PM23 / (P)F2 short								
PB2								
PB3								
PR2								
PR3								
PB21								
PB31								
PB51 / PW50								
PB22	x							
PB32	x							
PB42								
PB50	x							

## Mobile Printers

PM23C / (P)F2 long								
(P)F4 long door								
(P)F4 short door								
PM23 / (P)F2 short								
PB2								
PB3								
PR2								
PR3								
PB21								
PB31								
PB51 / PW50								
PB22								
PB32								
PB42								
PB50								

## Mobile Printers

PM23C / (P)F2 long								
(P)F4 long door								
(P)F4 short door								
PM23 / (P)F2 short								
PB2								
PB3								
PR2								
PR3								
PB21								
PB31								
PB51 / PW50								
PB22								
PB32								
PB42								
PB50								

















































































































