

Mark II M-4206 PRICING (EURO)

STANDARD FEATURES

Maximum Print Speed: 6 ips	Serial, Parallel and USB connectivity	Media Window
Printhead Density: 203 dpi	Bitmapped Fonts: 9	RAM: 8 MB
Direct Thermal / Thermal Transfer	Smooth Fonts: 1 (10 different point sizes)	Flash: 4 MB
Maximum Print Width: 4.25"	Scalable Font Engine	
Maximum Print Length: 99"	Media Hanger or Media Hub	

PART #	PRINTER DESCRIPTION	PRICE (Euro)
DMX-M-4206E	Direct Thermal Label Printer – LCD Display – 4MB Flash – metal cover	995
DMX-M-4206E	Direct Thermal Label Printer – 3 button – 4 MB Flash - metal cover	995
DMX-M-4206E	Direct Thermal Label Printer – LCD Display – 8MB Flash – metal cover	1,020
DMX-M-4206E	Direct Thermal Label Printer – 3 button – 8MB Flash – metal cover	1,020

PART #	OPTIONS AND MANUALS	PRICE (Euro)
DPO78-2697-01	Standard Thermal Transfer Option (<i>CSI/CSO</i>)	85
DPO78-2737-01	Peel Mechanism and Present Sensor – <i>recommend use with IR</i>	150
DPO78-2735-02	Internal Rewind	170
DPO78-2736-01	Present Sensor Only Option	85
DPO78-2738-01	Standard Cutter Kit for 10 mil stock	595
DPO32-2300-01	DB9 RS232 Serial Data Cable	30
DPO32-2301-01	DB25 RS232 Serial Data Cable	30
DPO78-2724-03	DMXNet II Internal LAN Card	155
DPO78-2724-05	DMXrfNet II 802.11b Wireless and Internal LAN Card	400
DPO78-2724-15	DMXrfNet II 802.11b/g Wireless and Internal LAN Card	400
DPO78-2660-01	Internal ILPC Font Kit	Std
DPO78-2660-02	Kanji Gothic Font Kit	87
DPO78-2660-03	Simplified Chinese Font Kit	87
DPO78-2660-04	Korean Hangul Font Kit	87
DPO78-2726-01	Optional 40mm Media Hub - factory Installed	N/C
DPO78-2717-01	3" Media Hub - factory Installed	N/C
DPO78-2394-01	External Rewinder / Unrewinder DMXREW1 110 volt	430 ¹
DPO78-2394-02	External Rewinder / Unrewinder DMXREW1 220 volt	430 ¹

PART #	REPLACEMENT PRINT HEAD	PRICE (Euro)
DPO20-2261-01	Print Head 203 dpi	325

*NOTES: RTC = Real Time Clock, GPIO= General Purpose Input Output, FW = Firmware

¹ Items Do Not qualify for standard contract discounts. Contact Datamax for additional information.

PLEASE NOTE: All prices are F.O.B. Datamax Factory, Orlando, FL and are in US dollars.
Prices and specifications are subject to change without notice.
This price list is not an offer of sale. All trademarks are the property of their respective owners.

Mark II M-4210 PRICING (EURO)

STANDARD FEATURES

Maximum Print Speed: 10 ips	Serial, Parallel and USB connectivity	Media Window
Printhead Density: 203 dpi	Bitmapped Fonts: 9	RAM: 16 MB
Direct Thermal / Thermal Transfer	Smooth Fonts: 1 (10 different point sizes)	Flash: 8 MB
Maximum Print Width: 4.25"	Scalable Font Engine	
Maximum Print Length: 99"	Media Hub	

PART #	PRINTER DESCRIPTION	PRICE (Euro)
DMX-M-4210E	Direct Thermal Label Printer – LCD Display – 8MB Flash – metal cover	1,285
DMX-M-4210E	Direct Thermal Label Printer – 3 button – 8 MB Flash - metal cover	1,285
DMX-M-4210E	Direct Thermal Label Printer – LCD Display – 64MB added Flash – metal cover	1,485
DMX-M-4210E	Direct Thermal Label Printer – 3 button – 64MB additional Flash – metal cover	1,485

PART #	OPTIONS AND MANUALS	PRICE (Euro)
DPO78-2697-01	Standard Thermal Transfer Option (<i>CSII/CSO</i>)	85
DPO78-2737-01	Peel Mechanism and Present Sensor – <i>recommend use with IR</i>	150
DPO78-2735-02	Internal Rewind	170
DPO78-2736-01	Present Sensor Only Option	85
DPO78-2738-01	Standard Cutter Kit for 10 mil stock	595
DPO78-2300-01	DB9 RS232 Serial Data Cable	30
DPO32-2301-01	DB25 RS232 Serial Data Cable	30
DPO78-2724-01	DMXrfNet II 802.11b Wireless, Internal LAN, and USB Host Card	485
DPO78-2724-02	DMXNet II Internal LAN and USB Host Card	220
DPO78-2724-03	DMXNet II Internal LAN Card	155
DPO78-2724-04	USB Host Card	135
DPO78-2724-05	DMXrfNet II 802.11b Wireless and Internal LAN Card	400
DPO78-2724-11	DMXrfNet II 802.11b/g Wireless, Internal LAN, and USB Host Card	485
DPO78-2724-15	DMXrfNet II 802.11b/g Wireless and Internal LAN Card	400
DPO78-2676-02	RFID UHF	1305
DPO78-2676-01	RFID HF	830
DPO78-2660-01	Internal ILPC Font Kit – CG Times	Std
DPO78-2660-02	Kanji Gothic Font Kit	87
DPO78-2660-03	Simplified Chinese Font Kit	87
DPO78-2660-04	Korean Hangul Font Kit	87
DPO78-2726-01	Optional 40mm Media Hub - factory Installed	N/C
DPO78-2394-01	External Rewinder / Unrewinder DMXREW1 110 volt	430 ¹
DPO78-2394-02	External Rewinder / Unrewinder DMXREW1 220 volt	430 ¹

PART #	REPLACEMENT PRINT HEAD	PRICE (Euro)
DPO20-2260-01	Print Head 203 dpi	375

*NOTES: RTC = Real Time Clock, GPIO= General Purpose Input Output, FW = Firmware

¹ Items Do Not qualify for standard contract discounts. Contact Datamax for additional information.

PLEASE NOTE: All prices are F.O.B. Datamax Factory, Orlando, FL and are in US dollars.
Prices and specifications are subject to change without notice.
This price list is not an offer of sale. All trademarks are the property of their respective owners.

Mark II M-4308 PRICING (EURO)

STANDARD FEATURES

Maximum Print Speed: 8 ips	Serial, Parallel and USB connectivity	Media Window
Printhead Density: 300 dpi	Bitmapped Fonts: 9	RAM: 16 MB
Direct Thermal / Thermal Transfer	Smooth Fonts: 1 (10 different point sizes)	Flash: 8 MB
Maximum Print Width: 4.25"	Scalable Font Engine	
Maximum Print Length: 99"	Media Hub	

PART #	PRINTER DESCRIPTION	PRICE (Euro)
DMX-M-4308E	Direct Thermal Label Printer – LCD Display – 8MB Flash – metal cover	1485
DMX-M-43080E	Direct Thermal Label Printer – 3 button – 8 MB Flash - metal cover	1485
DMX-M-4308E	Direct Thermal Label Printer – LCD Display – 64MB added Flash – metal cover	1685
DMX-M-4308E	Direct Thermal Label Printer – 3 button – 64MB additional Flash – metal cover	1685

PART #	OPTIONS AND MANUALS	PRICE (Euro)
DPO78-2697-01	Standard Thermal Transfer Option (<i>CSI/CSO</i>)	85
DPO78-2737-01	Peel Mechanism and Present Sensor – <i>recommend use with IR</i>	150
DPO78-2735-02	Internal Rewind	170
DPO78-2736-01	Present Sensor Only Option	85
DPO78-2738-01	Standard Cutter Kit for 10 mil stock	595
DPO78-2300-01	DB9 RS232 Serial Data Cable	30
DPO32-2301-01	DB25 RS232 Serial Data Cable	30
DPO78-2724-01	DMXrfNet II 802.11b Wireless, Internal LAN, and USB Host Card	485
DPO78-2724-02	DMXNet II Internal LAN and USB Host Card	220
DPO78-2724-03	DMXNet II Internal LAN Card	155
DPO78-2724-04	USB Host Card	135
DPO78-2724-05	DMXrfNet II 802.11b Wireless and Internal LAN Card	400
DPO78-2724-11	DMXrfNet II 802.11b/g Wireless, Internal LAN, and USB Host Card	485
DPO78-2724-15	DMXrfNet II 802.11b/g Wireless and Internal LAN Card	400
DPO78-2676-02	RFID UHF	1305
DPO78-2676-01	RFID HF	830
DPO78-2660-01	Internal ILPC Font Kit – CG Times	Std
DPO78-2660-02	Kanji Gothic Font Kit	87
DPO78-2660-03	Simplified Chinese Font Kit	87
DPO78-2660-04	Korean Hangul Font Kit	87
DPO78-2394-01	External Rewinder / Unrewinder DMXREW1 110 volt	430 ¹
DPO78-2394-02	External Rewinder / Unrewinder DMXREW1 220 volt	430 ¹

PART #	REPLACEMENT PRINT HEAD	PRICE (Euro)
DPO20-2263-01	Print Head 300 dpi	475

*NOTES: RTC = Real Time Clock, GPIO= General Purpose Input Output, FW = Firmware

¹ Items Do Not qualify for standard contract discounts. Contact Datamax for additional information.

PLEASE NOTE: All prices are F.O.B. Datamax Factory, Orlando, FL and are in US dollars.
Prices and specifications are subject to change without notice.
This price list is not an offer of sale. All trademarks are the property of their respective owners.