

DMX H-4212X PRICING (EURO)

STANDARD FEATURES

Maximum Print Speed: 12 ips	Serial/Parallel/Ethernet/USB connectivity	Revolving Media Hub 3"
Printhead Density: 203 dpi	USB: Host ports: 2	Microprocessor:32 bit:200MHz
Direct Thermal / Thermal Transfer	SDIO Interface	Media Viewing Window
Maximum Print Width: 4.10"	Bitmapped Fonts: 9	240 X 320 LCD Display
Maximum Print Length: 99.99"	Scalable Fonts: 3	Real Time Clock
RAM: 16MB		
Flash Memory: 8MB		

PART #	PRINTER DESCRIPTION	PRICE (Euro)
DMX H-4212X	Direct Thermal Label Printer	2520
DMX H-4212X	Direct Thermal RFID-Ready (UHF only) Label Printer	2695
DMX H-4212X	Direct Thermal RFID-Built (UHF only) Label Printer	3825
DMX H-4212X	Direct Thermal RFID-Built (HF only) Label Printer	3350

PART #	OPTIONS AND MANUALS	PRICE (Euro)
-----	MCL (see separate Datamax MCL price list)	----
DPO78-2613-01	Metal Thermal Transfer Option (<i>Coated side in/Coated side out</i>)	87
DPO78-2617-01	HD Peel Mechanism and Present Sensor – <i>requires Internal Rewinder</i>	175
DPO78-2655-01	Basic Peel and Present Sensor – <i>requires Internal Rewinder Mechanism</i>	87
DPO78-2627-01	Powered Internal Rewinder – Full Roll	285
DPO78-2619-01	Present Sensor Only Option	85
DPO78-2367-02	Optional 40mm Media Hub	15
DPO78-2629-01	Linear Barcode Scanner	1195
DPO78-2660-01	Internal ILPC Font Kit – CG Times	STD
DPO78-2660-02	Kanji Gothic Font Kit	87
DPO78-2660-03	Simplified Chinese Font Kit	87
DPO78-2660-04	Korean Hangul Font Kit	87
DPO78-2649-01	GPIO Applicator Interface Card	345
DPO32-2603-01	GPIO RJ-45 to DB9 Serial Adapter Cable	30
DPO78-2657-02	DMXrfNet II Internal 802.11b WiFi Card	520
DPO78-2657-12	DMXrfNet II Internal 802.11b/g WiFi Card	520
DPO78-2394-01	External Rewinder / Unrewinder DMXREW1 110 volt	430 ¹
DPO78-2394-02	External Rewinder / Unrewinder DMXREW1 220 volt	430 ¹
DPO78-2618-01	Standard Cutter Kit for 10 mil stock	605
DPO78-2667-xx ²	RFID UHF – field upgrade (multi-protocol, EPCglobal, Gen2 compatible, w/power – used with RFID ready printers only)	1305

PART #	REPLACEMENT PRINT HEAD	PRICE (Euro)
DPO20-2240-01	Print Head 203 dpi	395

*NOTES: GPIO= General Purpose Input Output, FW = Firmware

¹ Items Do Not qualify for standard contract discounts. Contact Datamax for additional information.

² Specify frequency/country requirement when ordering

PLEASE NOTE: All prices are F.O.B. Datamax Factory, Orlando, FL and are in EURO's.

Prices and specifications are subject to change without notice.

This price list is not an offer of sale. All trademarks are the property of their respective owners.

DMX H-4310X PRICING (EURO)**STANDARD FEATURES**

Maximum Print Speed: 10 ips	Serial/Parallel/Ethernet/USB connectivity	Revolving Media Hub 3"
Printhead Density: 300 dpi	USB: Host ports: 2	Microprocessor:32 bit:200MHz
Direct Thermal/Thermal Transfer	SDIO Interface	Media Viewing Window
Maximum Print Width: 4.16"	Bitmapped Fonts: 9	240 X 320 LCD Display
Maximum Print Length: 99.99"	Scalable Fonts: 3	Real Time Clock
RAM: 16MB		
Flash Memory: 8MB		

PART #	PRINTER DESCRIPTION	PRICE (Euro)
DMX H-4310X	Direct Thermal Label Printer	2695
DMX H-4310X	Direct Thermal RFID-Ready (UHF only) Label Printer	2870
DMX H-4310X	Direct Thermal RFID-Built (UHF only) Label Printer	4000
DMX H-4310X	Direct Thermal RFID-Built (HF only) Label Printer	3525

PART #	OPTIONS AND MANUALS	PRICE (Euro)
-----	MCL (see separate Datamax MCL price list)	----
DPO78-2613-01	Metal Thermal Transfer Option (<i>Coated side in/Coated side out</i>)	87
DPO78-2617-01	HD Peel Mechanism and Present Sensor – <i>requires Internal Rewinder</i>	175
DPO78-2655-01	Basic Peel and Present Sensor – <i>requires Internal Rewinder Mechanism</i>	87
DPO78-2627-01	Powered Internal Rewinder – Full Roll	285
DPO78-2619-01	Present Sensor Only Option	85
DPO78-2367-02	Optional 40mm Media Hub	15
DPO78-2629-01	Linear Barcode Scanner	1195
DPO78-2660-01	Internal ILPC Font Kit – CG Times	STD
DPO78-2660-02	Kanji Gothic Font Kit	87
DPO78-2660-03	Simplified Chinese Font Kit	87
DPO78-2660-04	Korean Hangul Font Kit	87
DPO78-2649-01	GPIO Applicator Interface Card	345
DPO32-2603-01	GPIO RJ-45 to DB9 Serial Adapter Cable	30
DPO78-2657-02	DMXrfNet II Internal 802.11b WiFi Card	520
DPO78-2657-12	DMXrfNet II Internal 802.11b/g WiFi Card	520
DPO78-2394-01	External Rewinder / Unrewinder DMXREW1 110 volt	430 ¹
DPO78-2394-02	External Rewinder / Unrewinder DMXREW1 220 volt	430 ¹
DPO78-2618-01	Standard Cutter Kit for 10 mil stock	605
DPO78-2667-xx ²	RFID UHF – field upgrade (multi-protocol, EPCglobal, Gen2 compatible, w/power – used with RFID ready printers only)	1305

Part #	Replacement Print Head	PRICE (Euro)
DPO20-2241-01	Print Head 300 dpi	595

*NOTES: GPIO= General Purpose Input Output, FW = Firmware

¹ Items Do Not qualify for standard contract discounts. Contact Datamax for additional information.

² Specify frequency/country requirement when ordering

PLEASE NOTE: All prices are F.O.B. Datamax Factory, Orlando, FL and are in EURO's.

Prices and specifications are subject to change without notice.

This price list is not an offer of sale. All trademarks are the property of their respective owners.

DMX H-4606X PRICING (EURO)

STANDARD FEATURES

Maximum Print Speed: 6 ips	Serial/Parallel/Ethernet/USB connectivity	Revolving Media Hub 3"
Printhead Density: 600 dpi	USB: Host ports: 2	Microprocessor:32 bit:200MHz
Direct Thermal / Thermal Transfer	SDIO Interface	Media Viewing Window
Maximum Print Width: 4.16"	Bitmapped Fonts: 9	240 X 320 LCD Display
Maximum Print Length: 99.99"	Scalable Fonts: 3	Real Time Clock
RAM: 16MB		
Flash Memory: 8MB		

PART #	PRINTER DESCRIPTION	PRICE (Euro)
DMX H-4606X	Direct Thermal Label Printer	4720
DMX H-4606X	Direct Thermal RFID-Ready (UHF only) Label Printer	4895
DMX H-4606X	Direct Thermal RFID-Built (UHF only) Label Printer	6025
DMX H-4606X	Direct Thermal RFID-Built (HF only) Label Printer	5550

PART #	OPTIONS AND MANUALS	PRICE (Euro)
-----	MCL (see separate Datamax MCL price list)	----
DPO78-2613-01	Metal Thermal Transfer Option (<i>Coated side in/Coated side out</i>)	87
DPO78-2617-01	HD Peel Mechanism and Present Sensor – <i>requires Internal Rewinder</i>	175
DPO78-2655-01	Basic Peel and Present Sensor – <i>requires Internal Rewinder Mechanism</i>	87
DPO78-2627-01	Powered Internal Rewinder – Full Roll	285
DPO78-2619-01	Present Sensor Only Option	85
DPO78-2367-02	Optional 40mm Media Hub	15
DPO78-2629-01	Linear Barcode Scanner	1195
DPO78-2660-01	Internal ILPC Font Kit – CG Times	STD
DPO78-2660-02	Kanji Gothic Font Kit	87
DPO78-2660-03	Simplified Chinese Font Kit	87
DPO78-2660-04	Korean Hangul Font Kit	87
DPO78-2649-01	GPIO Applicator Interface Card	345
DPO32-2603-01	GPIO RJ-45 to DB9 Serial Adapter Cable	30
DPO78-2657-02	DMXrfNet II Internal 802.11b WiFi Card	520
DPO78-2657-12	DMXrfNet II Internal 802.11b/g WiFi Card	520
DPO78-2394-01	External Rewinder / Unrewinder DMXREW1 110 volt	430 ¹
DPO78-2394-02	External Rewinder / Unrewinder DMXREW1 220 volt	430 ¹
DPO78-2618-01	Standard Cutter Kit for 10 mil stock	605
DPO78-2667-xx ²	RFID UHF – field upgrade (multi-protocol, EPCglobal, Gen2 compatible, w/power – used with RFID ready printers only)	1305

PART #	REPLACEMENT PRINT HEAD	PRICE (Euro)
DPO20-2243-01	Print Head 600 dpi	1220

*NOTES: GPIO= General Purpose Input Output, FW = Firmware

¹ Items Do Not qualify for standard contract discounts. Contact Datamax for additional information.

² Specify frequency/country requirement when ordering

PLEASE NOTE: All prices are F.O.B. Datamax Factory, Orlando, FL and are in EURO's.
Prices and specifications are subject to change without notice.
This price list is not an offer of sale. All trademarks are the property of their respective owners.

DMX H-6212X PRICING (EURO)**STANDARD FEATURES**

Maximum Print Speed: 12 ips	Serial/Parallel/Ethernet/USB connectivity	Revolving Media Hub 3"
Printhead Density: 203 dpi	USB: Host ports: 2	Microprocessor:32 bit:200MHz
Direct Thermal / Thermal Transfer	SDIO Interface	Media Viewing Window
Maximum Print Width: 6.61"	Bitmapped Fonts: 9	240 X 320 LCD Display
Maximum Print Length: 99.99"	Scalable Fonts: 3	Real Time Clock
RAM: 16MB		
Flash Memory: 8MB		

PART #	PRINTER DESCRIPTION	PRICE (Euro)
DMX H-6212X	Direct Thermal Label Printer	4280
DMX H-6212X	Direct Thermal RFID-Ready (UHF only) Label Printer	4455
DMX H-6212X	Direct Thermal RFID-Built (UHF only) Label Printer	5585
DMX H-6212X	Direct Thermal RFID-Built (HF only) Label Printer	5110

PART #	OPTIONS AND MANUALS	PRICE (Euro)
-----	MCL (see separate Datamax MCL price list)	----
DPO78-2613-11	Metal Thermal Transfer Option (<i>Coated side in/Coated side out</i>)	87
DPO78-2655-11	Basic Peel and Present Sensor – <i>requires Internal Rewinder Mechanism</i>	87
DPO78-2627-11	Powered Internal Rewinder – Full Roll	455
DPO78-2619-11	Present Sensor Only Option	85
DPO78-2629-11	Linear Barcode Scanner	1195
DPO78-2660-01	Internal ILPC Font Kit – CG Times	STD
DPO78-2660-02	Kanji Gothic Font Kit	87
DPO78-2660-03	Simplified Chinese Font Kit	87
DPO78-2660-04	Korean Hangul Font Kit	87
DPO78-2649-01	GPIO Applicator Interface Card	345
DPO32-2603-01	GPIO RJ-45 to DB9 Serial Adapter Cable	30
78-2656-01	Lid Dampener	83
DPO78-2657-02	DMXrfNet II Internal 802.11b WiFi Card	520
DPO78-2657-12	DMXrfNet II Internal 802.11b/g WiFi Card	520
DPO78-2393-01	External Rewinder / Unrewinder DMXREW2 110 volt	775 ¹
DPO78-2393-02	External Rewinder / Unrewinder DMXREW2 220 volt	775 ¹
DPO78-2618-11	Heavy Duty Cutter Kit for 10 mil stock	1220
DPO78-2667-xx ²	RFID UHF – field upgrade (multi-protocol, EPCglobal, Gen2 compatible, w/power – used with RFID ready printers only)	1305

PART #	REPLACEMENT PRINT HEAD	PRICE (Euro)
DPO20-2245-01	Print Head 203 dpi	595

*NOTES: GPIO= General Purpose Input Output, FW = Firmware

¹ Items Do Not qualify for standard contract discounts. Contact Datamax for additional information.

² Specify frequency/country requirement when ordering

PLEASE NOTE: All prices are F.O.B. Datamax Factory, Orlando, FL and are in EURO's.
Prices and specifications are subject to change without notice.
This price list is not an offer of sale. All trademarks are the property of their respective owners.

DMX H-6310X PRICING (EURO)**STANDARD FEATURES**

Maximum Print Speed: 10 ips	Serial/Parallel/Ethernet/USB connectivity	Revolving Media Hub 3"
Printhead Density: 300 dpi	USB: Host ports: 2	Microprocessor:32 bit:200MHz
Direct Thermal/Thermal Transfer	SDIO Interface	Media Viewing Window
Maximum Print Width: 6.40"	Bitmapped Fonts: 9	240 X 320 LCD Display
Maximum Print Length: 99.99"	Scalable Fonts: 3	Real Time Clock
RAM: 16MB		
Flash Memory: 8MB		

PART #	PRINTER DESCRIPTION	PRICE (Euro)
DMX H-6310X	Direct Thermal Label Printer	4545
DMX H-6310X	Direct Thermal RFID-Ready (UHF only) Label Printer	4720
DMX H-6310X	Direct Thermal RFID-Built (UHF only) Label Printer	5850
DMX H-6310X	Direct Thermal RFID-Built (HF only) Label Printer	5375

PART #	OPTIONS AND MANUALS	PRICE (Euro)
-----	MCL (see separate Datamax MCL price list)	----
DPO78-2613-11	Metal Thermal Transfer Option (<i>Coated side in/Coated side out</i>)	87
DPO78-2655-11	Basic Peel and Present Sensor – <i>requires Internal Rewinder Mechanism</i>	87
DPO78-2627-11	Powered Internal Rewinder – Full Roll	455
DPO78-2619-11	Present Sensor Only Option	85
DPO78-2629-11	Linear Barcode Scanner	1195
DPO78-2660-01	Internal ILPC Font Kit – CG Times	STD
DPO78-2660-02	Kanji Gothic Font Kit	87
DPO78-2660-03	Simplified Chinese Font Kit	87
DPO78-2660-04	Korean Hangul Font Kit	87
DPO78-2649-01	GPIO Applicator Interface Card	345
DPO32-2603-01	GPIO RJ45-DP9 Serial Adapter Cable	30
78-2656-01	Lid Dampener	83
DPO78-2657-02	DMXrfNet II Internal 802.11b WiFi Card	520
DPO78-2657-12	DMXrfNet II Internal 802.11b/g WiFi Card	520
DPO78-2393-01	External Rewinder / Unrewinder DMXREW2 110 volt	775 ¹
DPO78-2393-02	External Rewinder / Unrewinder DMXREW2 220 volt	775 ¹
DPO78-2618-11	Heavy Duty Cutter Kit for 10 mil stock	1220
DPO78-2667-xx ²	RFID UHF – field upgrade (multi-protocol, EPCglobal, Gen2 compatible, w/power – used with RFID ready printers only)	1305

Part #	Replacement Print Head	PRICE (Euro)
DPO20-2246-01	Print Head 300 dpi	865

*NOTES: GPIO= General Purpose Input Output, FW = Firmware

¹ Items Do Not qualify for standard contract discounts. Contact Datamax for additional information.

² Specify frequency/country requirement when ordering

PLEASE NOTE: All prices are F.O.B. Datamax Factory, Orlando, FL and are in EURO's.
Prices and specifications are subject to change without notice.
This price list is not an offer of sale. All trademarks are the property of their respective owners.

H-8308X PRICING (EURO)**STANDARD FEATURES**

Maximum Print Speed: 8 ips	Serial/Parallel/Ethernet/USB connectivity	Revolving Media Hub 3"
Printhead Density: 300 dpi	USB: Host ports: 2	Microprocessor:32 bit:200MHz
Direct Thermal / Thermal Transfer	SDIO Interface	Media Viewing Window
Maximum Print Width: 8.52"	Bitmapped Fonts: 9	320 X 240 LCD Display
Maximum Print Length: 99.99"	Scalable Fonts: 2	Real Time Clock
RAM: 16MB		
Flash Memory: 8MB		

PART #	PRINTER DESCRIPTION	PRICE (Euro)
DMX H-8308X	Direct Thermal Label Printer –	4808

PART #	OPTIONS AND MANUALS	PRICE (Euro)
---	MCL (see separate Datamax MCL price list)	---
DPO78-2613-21	Metal Thermal Transfer Option (<i>Coated side in/Coated side out</i>)	87
DPO78-2627-21	Powered Internal Rewinder – Full Roll	640
DPO78-2619-21	Present Sensor Only	85
78-2337-01	Peel and Present Sensor/ Internal Rewinder	985
78-2338-01	Present Sensor / Int. Rewind	660
DPO-78-2618-21	Heavy Duty Cutter Kit for 10 mil stock	1,495
DPO78-2657-02	DMXrfNet II Internal 802.11b WiFi Card	520
DPO78-2657-12	DMXrfNet II Internal 802.11b/g WiFi Card	520
DPO78-2649-01	GPIO Applicator Interface Card	345
DPO32-2603-01	GPIO RJ-45 to DB9 Adapter Cable	30
DPO78-2629-21	Linear Barcode Scanner	1195
DPO78-2660-01	Internal ILPC Font Kit – CG Times	STD
DPO78-2660-02	Kanji Gothic Font Kit	87
DPO78-2660-03	Simplified Chinese Font Kit	87
DPO78-2660-04	Korean Hangul Font Kit	87
DPO78-2393-01	External rewinder / unrewinder - REW2 110 Volt	775 ¹
DPO78-2393-02	External rewinder / unrewinder - REW2 220 Volt	775 ¹

PART #	REPLACEMENT PRINT HEAD	PRICE (Euro)
DPO20-2234 -01	Print Head 8 inch 300 DPI	950

*NOTES: RTC = Real Time Clock, GPIO= General Purpose Input Output, FW = Firmware

¹ Items Do Not qualify for standard contract discounts. Contact Datamax for additional information.

PLEASE NOTE: All prices are F.O.B. Datamax Factory, Orlando, FL and are in EURO's.

Prices and specifications are subject to change without notice.

This price list is not an offer of sale. All trademarks are the property of their respective owners.